Physica C 197 (1992) 395–398
North-Holland

PHYSICA C

# Author Index to Volume 197

Adachi, S., see T. Kaneko **197**, 385
Ananthakrishna, G., see R. Khanna **197**, 57
Andreetti, G.D., see G. Calestani **197**, 283
Andrikidis, C., see N. Savvides **197**, 267
Antson, O., see V.A. Trounov **197**, 123

Babushkina, N.A., M.V. Dobrotvorskaya, N.A. Kasatkina, Yu.B. Poltoratsky, V.L. Sobolev and S.V. Kucheiko, Charge state of copper in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ **197**, 299
Balagurov, A.M., see V.A. Trounov **197**, 123
Baltaga, I.V., see L.M. Fisher **197**, 161
Berger, H., see E. Holguín **197**, 167
Bhatnagar, A., see Z.J. Yang **197**, 136
Bozhko, S.I. and V.S. Tsoi, Electron-stimulated order–disorder transition at the Bi–Ca–Sr–Cu–O (001) surface **197**, 362
Bratsberg, H., see Z.J. Yang **197**, 136
Brazdeikis, A., see B. Vengalis **197**, 64
Brown, C.A., see J. Wu **197**, 251
Brown, I.G., see A.J. Studer **197**, 147
Bruynseraede, Y., see J. Vanacken **197**, 9

Calestani, G., M.G. Francesconi, G. Salsi, G.D. Andreetti and A. Migliori, Structural modulation and superconducting properties in $(Bi,Pb)_2Sr_2(Y,Ca)Cu_2O_z$ **197**, 283
Cao, G., see Y. Qian **197**, 42
Cao, R., see J. Wu **197**, 251
Cao, X.W., see H.B. Liu **197**, 101
Caplin, D., see A.K. Pradhan **197**, 22
Chen, C., see A.K. Pradhan **197**, 22
Chen, F.H., H.S. Koo, S.C. Wu, T.Y. Tseng, S.R. Horng and M.F. Tai, Copper valency of superconducting phases in the Pb-doped Bi–Sr–Ca–Cu–O system **197**, 151
Chen, Z., see Y. Qian **197**, 42
Chiou, B.S., see J.B. Shi **197**, 157
Cho, J.H., see F.C. Chou **197**, 303
Chou, F.C., J.H. Cho and D.C. Johnston, Synthesis, characterization, and superconducting and magnetic properties of electrochemically oxidized $La_2CuO_{4+\delta}$ and $La_{2-x}Sr_xCuO_{4+\delta}$ ($0.01 \leqslant x \leqslant 0.33$, $0.01 \leqslant \delta \leqslant 0.36$) **197**, 303
Cockayne, D.J.H., see A.J. Studer **197**, 147
Cohen, D., see E. Polturak **197**, 1
Cornelius, A.L., S. Klotz and J.S. Schilling, Simple model for estimating the anisotropic compressibility of high temperature superconductors **197**, 209

Dessau, D.S., see J. Wu **197**, 251
De Vries, M.S., see J. Wu **197**, 251
Dobrotvorskaya, M.V., see N.A. Babushkina **197**, 299
Dulčić, A., see M. Požek **197**, 175

Edwards, P.P., see R.S. Liu **197**, 131
Eidelloth, W., R.L. Sandstrom and M.M. Plechaty, Polishing of highly oriented $YBa_2Cu_3O_{7-\delta}$ thin films **197**, 389
Elloway, D., see J. Wu **197**, 251

Fibich, M., A. Ron and M. Weger, Deep pairing superconductivity **197**, 84
Fietz, W.H., see H.A. Ludwig **197**, 113
Fischer, P., see V.A. Trounov **197**, 123
Fisher, L.M., N.V. Il'in, I.F. Voloshin, I.V. Baltaga, N.M. Makarov and V.A. Yampol'skii, Non-linear interaction of a transport current with an electromagnetic wave in high-$T_c$ ceramics **197**, 161
Flodström, A., see B. Vengalis **197**, 64
Francesconi, M.G., see G. Calestani **197**, 283

Ge, Y., see H. Jin **197**, 315
Griessen, R., see C.J. van der Beek **197**, 320
Griessen, R., see H.G. Schnack **197**, 337
Grňo, J., see S. Luby **197**, 35
Guo, S.Q., see X.G. Qiu **197**, 195

Hamada, K., see T. Kaneko **197**, 385
Hamersma, M.A., C.J. Muller, D. Reefman and J.M. van Ruitenbeek, Anomalies in the superconducting properties of the misfit layer compound $(BiS)_{1.08}TaS_2$ **197**, 106
Hatta, S., see R.V. Kasowski **197**, 69
Hervieu, M., see R.S. Liu **197**, 131
Herwig, R., see T. Scherer **197**, 79
Hewat, A.W., see V.A. Trounov **197**, 123
Ho, J.C., see H.B. Liu **197**, 101
Ho, J.C., see J.B. Shi **197**, 157
Hodby, J.W., see A.K. Pradhan **197**, 22
Holguín, E., J.-F. Loude and H. Berger, Dynamics of low-field penetration in $(YBa_2Cu_3O_{7-\delta})_{1-x}Ag_x$ ceramics **197**, 167
Horng, S.R., see F.H. Chen **197**, 151
Hsu, W.Y., see R.V. Kasowski **197**, 69
Hu, Z., see H. Jin **197**, 315
Huang, H., see Y. Qian **197**, 42
Hughes, R.A., see Y. Lu **197**, 75
Hunziker, H., see J. Wu **197**, 251

Il'in, N.V., see L.M. Fisher **197**, 161

Janeček, I., see E. Pollert **197**, 371
Jergel, M., see S. Luby **197**, 35
Ji, M., see Y. Qian **197**, 42
Jin, H., Z. Hu, Y. Ge, S. Lin, Q. Liu and C. Shi, Structure

characteristics of Bi(Pb)–Sr–Ca–Cu–O superconducting whiskers **197**, 315
Jirák, Z., see E. Pollert **197**, 371
Johansen, T.H., see Z.J. Yang **197**, 136
Johnston, D.C., see F.C. Chou **197**, 303
Jutzi, W., see T. Scherer **197**, 79

Kaganovich, T.Yu., see V.A. Trounov **197**, 123
Kaneko, T., K. Hamada, S. Adachi and H. Yamauchi, A method for doping Tl-based cuprate superconductors with holes **197**, 385
Kasatkina, N.A., see N.A. Babushkina **197**, 299
Kasowski, R.V., S. Hatta and W.Y. Hsu, Calculation of semiconductive properties of $CaCuO_2$-planar phase with interplanar oxygen defects **197**, 69
Katsaros, A., see N. Savvides **197**, 267
Kennedy, R.J., C.M. Rey and L.R. Testardi, Non-linear interfacial resistance in an indium–$YBa_2Cu_3O_{7-x}$ contact. Andreev-like behavior in a macroscopic interface **197**, 15
Kes, P.H., see C.J. van der Beek **197**, 320
Kes, P.H., see H.G. Schnack **197**, 337
Kettunen, P.O., see E.E. Podkletnov **197**, 261
Kevan, L., see M. Puri **197**, 53
Khanna, R., T.R. Welberry and G. Ananthakrishna, Monte Carlo simulation of low temperature phase diagrams of $YBa_2Cu_3O_{6+x}$ **197**, 57
King, D.M., see J. Wu **197**, 251
Klotz, S., see A.L. Cornelius **197**, 209
Klupsch, Th., Conventional and torque magnetometry on disc-shaped high-$T_c$ superconductor samples I. A steady-state dynamical theory **197**, 224
Klupsch, Th., Conventional and torque magnetometry on disc-shaped high-$T_c$ superconductor samples II. A dynamical theory of relaxation and transient phenomena **197**, 241
Knížek, K., see E. Pollert **197**, 371
Koo, H.S., see F.H. Chen **197**, 151
Koren, G., see E. Polturak **197**, 1
Koshta, A.A., see Yu.N. Shvachko **197**, 27
Ku, H.C., see J.B. Shi **197**, 157
Kubo, T., see Y. Yokoyama **197**, 95
Kubo, Y. and T. Manako, $T^2$-dependence of inverse Hall mobility observed in overdoped Tl-cuprates **197**, 378
Kucheiko, S.V., see N.A. Babushkina **197**, 299
Kurbakov, A.I., see V.A. Trounov **197**, 123
Kuropyatnik, I.N. and A.N. Lavrov, Influence of the oxygen rearrangement on normal and superconducting properties of $YBa_2Cu_3O_{6+x}$ ceramics **197**, 47

Labdi, S., H. Raffy, O. Laborde and P. Monceau, Angular dependence of critical currents in $Bi_2Sr_2CaCu_2O_8$ thin films. Predominant role of the transverse magnetic field component **197**, 274
Laborde, O., see S. Labdi **197**, 274
Lavrov, A.N., see I.N. Kuropyatnik **197**, 47
Lensink, J.G., see H.G. Schnack **197**, 337
Li, L., see X.G. Qiu **197**, 195
Libbrecht, S., see J. Vanacken **197**, 9
Lin, S., see H. Jin **197**, 315
Lindau, I., see J. Wu **197**, 251
Liu, H.B., D.E. Morris, A.P.B. Sinha, X.W. Cao and J.C. Ho, Enhancement of $T_c$ to 60 K in $(Pb,Ca)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ by high pressure oxygen treatment and quenching **197**, 101
Liu, Q., see H. Jin **197**, 315
Liu, R.S., M. Hervieu, C. Michel, A. Maignan, C. Martin, B. Raveau and P.P. Edwards, $TlBa_2(Eu,Ce)_2O_{9+\delta}$, a new member of the double fluorite-type cuprate family. Structure and possible induced superconductivity by oxygen high pressure annealing **197**, 131
Lobotka, P., see S. Luby **197**, 35
Loude, J.-F., see E. Holguín **197**, 167
Lu, Y., R.A. Hughes, T. Strach, T. Timusk, D. Poulin and J.S. Preston, Growth of $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$ thin films by laser ablation **197**, 75
Luby, S., E. Majková, P. Lobotka, I. Vávra, M. Jergel, R. Senderák and J. Grňo, Superconductivity of tungsten–silicon multilayers **197**, 35
Ludwig, H.A., W.H. Fietz and H. Wühl, Calculation of the structural parameters of $YBa_2Cu_3O_{7-\delta}$ and $YBa_2Cu_4O_8$ under pressure **197**, 113

Maayouf, R.M.A., see V.A. Trounov **197**, 123
Maenhoudt, M., see J. Vanacken **197**, 9
Maignan, A., see R.S. Liu **197**, 131
Majková, E., see S. Luby **197**, 35
Makarov, N.M., see L.M. Fisher **197**, 161
Manako, T., see Y. Kubo **197**, 378
Mäntylä, T.A., see E.E. Podkletnov **197**, 261
Marienhoff, P., see T. Scherer **197**, 79
Marshall, D., see J. Wu **197**, 251
Martin, C., see R.S. Liu **197**, 131
Matveev, A.V., see V.A. Trounov **197**, 123
McKenzie, D.R., see A.J. Studer **197**, 147
Michel, C., see R.S. Liu **197**, 131
Migliori, A., see G. Calestani **197**, 283
Monceau, P., see S. Labdi **197**, 274
Morris, D.E., see H.B. Liu **197**, 101
Muller, C.J., see M.A. Hamersma **197**, 106
Müller, K.-H., see N. Savvides **197**, 267

Naumov, S.V., see Yu.N. Shvachko **197**, 27
Neuhaus, M., see T. Scherer **197**, 79
Nieuwenhuys, G.J., see C.J. van der Beek **197**, 320

Osquiguil, E., see J. Vanacken **197**, 9

Pianetta, P., see J. Wu **197**, 251
Plechaty, M.M., see W. Eidelloth **197**, 389
Podkletnov, E.E., T.A. Mäntylä and P.O. Kettunen, Superconducting high-$J_c$ coatings on copper substrates by RF magnetron sputtering **197**, 261
Pollert, E., D. Sedmidubský, K. Knížek, Z. Jirák, P. Vašek and I. Janeček, Structural and transport properties of $YBa_2Cu_{3-y}Co_yO_{7-x}$ solid solutions **197**, 371
Poltoratsky, Yu.B., see N.A. Babushkina **197**, 299

Polturak, E., G. Koren, D. Cohen, D. Cohen and I. Snapiro, The effect of a thin silver layer on the critical current of epitaxial YBCO films **197**, 1
Poulin, D., see Y. Lu **197**, 75
Požek, M., A. Dulčić and B. Rakvin, Comparison of direct and modulated microwave magnetoresistance in ceramic and single crystal $YBa_2Cu_3O_{7-\delta}$ **197**, 175
Pradhan, A.K., S.B. Roy, C. Chen, J.W. Hodby and D. Caplin, Magnetic properties of the superconductor $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+y}$ **197**, 22
Preston, J.S., see Y. Lu **197**, 75
Puri, M. and L. Kevan, Measurement of magnetic field penetration depth in $YBa_2Cu_3O_{7-\delta}$ single crystals by surface paramagnetic probes **197**, 53

Qian, Y., G. Cao, H. Huang, C. Wang, Z. Chen, M. Ji and G. Zhou, Superconductivity at 55 K enhanced by silver-doping in $Pb_{0.9}Ag_xSr_2La_2Cu_{3.1}O_y$ **197**, 42
Qiu, X.G., B.R. Zhao, S.Q. Guo, J.L. Zhang and L. Li, Kosterlitz–Thouless transition in an $YBa_2Cu_3O_7$/$PrBa_2Cu_3O_7$ superlattice **197**, 195

Raffy, H., see S. Labdi **197**, 274
Rakvin, B., see M. Požek **197**, 175
Raveau, B., see R.S. Liu **197**, 131
Reefman, D., see M.A. Hamersma **197**, 106
Reissner, M., see A. Wiśniewski **197**, 365
Rey, C.M., see R.J. Kennedy **197**, 15
Romanenko, A.I. and V.R. Valiakhmetov, Relaxation process in bismuth-based high-$T_c$ superconductors in the range 100–200°C and its influence on resistive and superconducting properties **197**, 201
Romanyukha, A.A., see Yu.N. Shvachko **197**, 27
Ron, A., see M. Fibich **197**, 84
Roy, S.B., see A.K. Pradhan **197**, 22

Sakai, H., see Y. Yokoyama **197**, 95
Salsi, G., see G. Calestani **197**, 283
Sandstrom, R.L., see W. Eidelloth **197**, 389
Savvides, N., A. Katsaros, C. Andrikidis and K.-H. Müller, Temperature, field and freqeuncy dependence of intergranular AC loss in high-temperature superconductors **197**, 267
Schalk, R.M., see A. Wiśniewski **197**, 365
Scherer, T., P. Marienhoff, R. Herwig, M. Neuhaus and W. Jutzi, Anisotropy on the *a*,*b*-plane of *c*-axis orientated almost twin-free YBCO films on $NdGaO_3$ **197**, 79
Schilling, J.S., see A.L. Cornelius **197**, 209
Schnack, H.G., see C.J. van der Beek **197**, 320
Schnack, H.G., R. Griessen, J.G. Lensink, C.J. van der Beek and P.H. Kes, Magnetization and relaxation curves of fast relaxing high-$T_c$ superconductors **197**, 337
Sedmidubský, D., see E. Pollert **197**, 371
Senderák, R., see S. Luby **197**, 35
Shen, Z.-X., see J. Wu **197**, 251
Shi, C., see H. Jin **197**, 315
Shi, J.B., B.S. Chiou, J.C. Ho and H.C. Ku, Anisotropic magnetic properties of $Bi_2Sr_2CuO_{6+\delta}$ single crystal **197**, 157
Shvachko, Yu.N., A.A. Koshta, A.A. Romanyukha, S.V. Naumov and V.V. Ustinov, ESR-probe decoration in $YBa_2Cu_3O_{7-\delta}$ single crystals. Flux-line-lattice effects and diamagnetic shielding **197**, 27
Sinha, A.P.B., see H.B. Liu **197**, 101
Skjeltorp, A.T., see Z.J. Yang **197**, 136
Skripov, A.V. and A.P. Stepanov, Mechanisms of nuclear spin relaxation in (BEDT-TTF)-based organic superconductors **197**, 89
Smith, G.B., see A.J. Studer **197**, 147
Snapiro, I., see E. Polturak **197**, 1
Sobolev, V.L., see N.A. Babushkina **197**, 299
Steiner, W., see A. Wiśniewski **197**, 365
Stepanov, A.P., see A.V. Skripov **197**, 89
Strach, T., see Y. Lu **197**, 75
Studer, A.J., D.R. McKenzie, D.J.H. Cockayne, G.B. Smith and I.G. Brown, Cathodic arc ablation as a new method of high-$T_c$ superconductor deposition **197**, 147
Suzuki, Y., see Y. Yokoyama **197**, 95

Tai, M.F., see F.H. Chen **197**, 151
Terry, J., see J. Wu **197**, 251
Testardi, L.R., see R.J. Kennedy **197**, 15
Timusk, T., see Y. Lu **197**, 75
Trounov, V.A., T.Yu. Kaganovich, A.I. Kurbakov, A.V. Matveev, A.M. Balagurov, A.W. Hewat, P. Fischer, O. Antson and R.M.A. Maayouf, Neutron diffraction studies of isotope-substituted tetragonal superconductors $RBa_2Cu_{2.76}Fe_{0.24}O_{7+\delta}$ (R=Sm,Y) **197**, 123
Tseng, T.Y., see F.H. Chen **197**, 151
Tsoi, V.S., see S.I. Bozhko **197**, 362

Ustinov, V.V., see Yu.N. Shvachko **197**, 27

Valiakhmetov, V.R., see A.I. Romanenko **197**, 201
Vanacken, J., S. Libbrecht, M. Maenhoudt, C. van Haesendonck, E. Osquiguil and Y. Bruynseraede, The magnetic moment relaxation in oxygen-deficient $YBa_2Cu_3O_x$ **197**, 9
Van der Beek, C.J., G.J. Nieuwenhuys, P.H. Kes, H.G. Schnack and R. Griessen, Nonlinear current diffusion in type-II superconductors **197**, 320
Van der Beek, C.J., see H.G. Schnack **197**, 337
Van Haesendonck, C., see J. Vanacken **197**, 9
Van Ruitenbeek, J.M., see M.A. Hamersma **197**, 106
Vašek, P., see E. Pollert **197**, 371
Vávra, I., see S. Luby **197**, 35
Vengalis, B., A. Flodström and A. Brazdeikis, Synthesis of 2212 structure Bi–Sr–Ca–Cu–O thin films superconducting in the 90 K range **197**, 64
Voloshin, I.F., see L.M. Fisher **197**, 161

Wang, C., see Y. Qian **197**, 42
Weber, H.W., see A. Wiśniewski **197**, 365
Weger, M., see M. Fibich **197**, 84

Welberry, T.R., see R. Khanna **197**, 57
Wells, B.O., see J. Wu **197**, 251
Wendt, H.R., see J. Wu **197**, 251
Wiśniewski, A., R.M. Schalk, H.W. Weber, M. Reissner and W. Steiner, Comparison of neutron irradiation effects in the 90 K and 60 K phases of YBCO ceramics **197**, 365
Wu, J., Z.-X. Shen, D.S. Dessau, R. Cao, D. Marshall, P. Pianetta, I. Lindau, X. Yang, J. Terry, D.M. King, B.O. Wells, D. Elloway, H.R. Wendt, C.A. Brown, H. Hunziker and M.S. de Vries, Electronic structure of single crystal $C_{60}$ **197**, 251
Wu, S.C., see F.H. Chen **197**, 151
Wühl, H., see H.A. Ludwig **197**, 113

Yamauchi, H., see T. Kaneko **197**, 385
Yampol'skii, V.A., see L.M. Fisher **197**, 161
Yang, X., see J. Wu **197**, 251
Yang, Z.J., T.H. Johansen, H. Bratsberg, A. Bhatnagar and A.T. Skjeltorp, Lifting forces acting on a cylindrical magnet above a superconducting plane **197**, 136
Yokoyama, Y., T. Kubo, H. Sakai, Y. Suzuki and S. Yoshida, Flux density distribution in $Bi_2Sr_2CaCu_2O_x$ and its critical current **197**, 95
Yoshida, S., see Y. Yokoyama **197**, 95

Zhang, J.L., see X.G. Qiu **197**, 195
Zhao, B.R., see X.G. Qiu **197**, 195
Zhou, G., see Y. Qian **197**, 42

Physica C 197 (1991) 399
Norht-Holland

PHYSICA C

# Analytic Subject Index to Volume 197

AC susceptibility 47, 267
Andreev scattering 15
Anisotropic superconductor 106, 274
Applications
Applications
–of high-$T_c$ superconductors 136, 389

BCS model 84

$C_{60}$ compounds 251
Carrier concentration 201, 371, 378, 385
Compressibility 209
Conductivity tensor 224, 241
Coulomb interactions 84
Critical current density 1, 95, 161, 261, 267, 274, 365
Critical phenomenon 195
Critical state model 320, 337
Cu-valence 151, 299

Defect structures 69, 151
–in Bi–Ca–Sr–Cu–O 362

Electrical resistivity 15, 42, 47, 64, 75, 79, 201, 378
–of $(BiS)_{1.08}TaS_2$ 106
Electrochemical oxidation 303
Electron-doped superconductor 75
Electronic structure 251, 299
–of $CaCuO_2$ 69
Energy gap 15
ESR 27, 53

Fermi surface 84
Fluctuation effects 106
Flux creep 22, 224, 241, 267
Flux distribution 95
Flux dynamics 167, 320, 337
Flux flow 167
Flux lattice 27, 161
Flux pinning 69, 175, 224, 241, 267, 274, 320, 337

Glassy state 315
Grain alignment (texturing) 79, 147
Granular superconductivity 9, 95, 167

Hall effect 378
Hall mobility 378
High pressure effect 113
HREM 283

Irradiation effect 362, 365
Irreversibility line 267, 365
Isotope effect 123

Kosterlitz–Thouless model 195

Lattice parameters 209, 385
–of $YBa_2Cu_3O_{7-\delta}$ 113
Levitation force 136

Magnetic relaxation 9, 22, 241, 320, 337, 365
Magnetic susceptibility 303
–of $Bi_2Sr_2CuO_{6+\delta}$ 157
Magnetization 224, 241
–of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+y}$ 22
Magnetron sputtering 261
MBE 64
Meissner effect 27, 136
Microwave absorption 53, 175
Modulated structures 195, 283
Monte Carlo simulation 57
Multilayers 35, 389

Neutron diffraction 123
NMR 89
Non-ohmic behaviour 15
Normal-state properties 79, 89, 303
–of $Bi_2Sr_2CuO_{6+\delta}$ 157
–of $YBa_2Cu_3O_{6+x}$ 47

Optical reflectivity
–of Bi–Sr–Ca–Cu–O 64
Organic superconductor 89
Oxygen diffusion 201
Oxygen ordering 47, 57
Oxygen stoichiometry 9, 75, 101, 131, 303, 371

Penetration depth 27, 53, 161
Percolation structures 167
Phase diagram
–of Bi–Sr–Ca–Cu–O 64
–of $YBa_2Cu_3O_{6+x}$ 57
Pinning energy 22
Pinning force 175

Relaxation process 201

Scanning electron microscopy 147
Spin-lattice relaxation time $T_1$ 89
Structure
–of $(Bi,Pb)_2Sr_2(Y,Ca)Cu_2O_z$ 283
–of $Bi_2Sr_2CuO_{6+\delta}$ 157
–of Bi–Ca–Sr–Cu–O 362
–of Bi(Pb)–Sr–Ca–Cu–O 315
–of $(Pb,Ca)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ 101
–of $Pb_{0.9}Ag_xSr_2La_2Cu_{3.1}O_y$ 42
–of $RBa_2Cu_{2.76}Fe_{0.24}O_{7+\delta}$ (R=Sm,Y) 123
–of $TlBa_2(Eu_{1.5}Ce_{0.5})Cu_2O_{9-\delta}$ 131
–of W/Si multilayers 35
–of $YBa_2Cu_3O_{7-\delta}$ 113
–of $YBa_2Cu_{3-y}Co_yO_{7-x}$ 371
Substitution effects
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 299
Surface barrier 1
Surface impedance 161
Synthesis
–of $Bi_2Sr_2CuO_{6+\delta}$ 157
–of $La_2CuO_{4+\delta}$ 303
–of $La_{2-x}Sr_xCuO_{4+\delta}$ 303
–of $Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$ 75
–of $(Pb,Ca)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ 101
–of $Pb_{0.9}Ag_xSr_2La_2Cu_{3.1}O_y$ 42
–of thin films 147
–of Tl-2223 385
–of $TlBa_2(Eu_{1.5}Ce_{0.5})Cu_2O_{9-\delta}$ 131
–of Y–Ba–Cu–O 261

Thermoelectric effects 385
Thin films 35, 64, 75, 195, 389
–of $Bi_2Sr_2CaCu_2O_8$ 274
–of Y–Ba–Cu–O 261
–of YBCO 1, 79
Torque magnetometry 224, 241
Tunneling 106
Twin boundaries 371

Weak links 106
Whiskers 315

XPS 42, 151, 251, 299

Physica C 197 (1992) 401
North-Holland

PHYSICA C

# Materials Index to Volume 197

$(Bi,Pb)_2Sr_2(Y,Ca)Cu_2O_z$
–structure 283
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
–substitution effects 299
$Bi_2Sr_2CaCu_2O_8$
–thin films 274
$Bi_2Sr_2CuO_{6+\delta}$
–magnetic susceptibility 157
–normal-state properties 157
–structure 157
–synthesis 157
Bi–Ca–Sr–Cu–O
–defect structures 362
–structure 362
Bi(Pb)–Sr–Ca–Cu–O
–structure 315
$(BiS)_{1.08}TaS_2$
–electrical resistivity 106
Bi–Sr–Ca–Cu–O
–optical reflectivity 64
–phase diagram 64

$CaCuO_2$
–electronic structure 69

$La_2CuO_{4+\delta}$
–synthesis 303
$La_{2-x}Sr_xCuO_{4+\delta}$
–synthesis 303

$Nd_{1.85}Ce_{0.15}CuO_{4+\delta}$
–synthesis 75

$(Pb,Ca)Sr_2(Ca,Y)Cu_2O_{7-\delta}$
–structure 101
–synthesis 101
$Pb_{0.9}Ag_xSr_2La_2Cu_{3.1}O_y$
–structure 42
–synthesis 42
$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+y}$
–magnetization 22

$RBa_2Cu_{2.76}Fe_{0.24}O_{7+\delta}$
–structure 123

Tl-2223
–synthesis 385
$TlBa_2(Eu_{1.5}Ce_{0.5})Cu_2O_{9-\delta}$
–structure 131
–synthesis 131

W/Si
–structure 35

$YBa_2Cu_3O_{6+x}$
–normal-state properties 47
–phase diagram 57
$YBa_2Cu_3O_{7-\delta}$
–lattice parameters 113
–structure 113
$YBa_2Cu_{3-y}Co_yO_{7-x}$
–structure 371
Y–Ba–Cu–O
–synthesis 261
–thin films 261